

1.
CREAMIDE 66 GFR205

 66
 가

1415-3

TEL : 054 931 1488

2006 1 3

2011 10 1

2.

	<u>CAS No.</u>	<u>(%)</u>
Polyamide 66	32131-17-2	
Glass fiber	65997-17-3	20 ~ 30
Flame retardant	-	
가	-	< 1

3.

NFPA	(0-4)	= 1,	= 1,	= 0
1)	,	,	가	가
2)	,	,	, 가	
3)	.	.	.	
4)	.	.	.	
5)	.	.	.	
6)	.	.	.	

4.

1)

2)

3)

4)

5)

5.

1) ()

2)

3) /

4)

5)

가

6)

7)

가

6.

1)

가

2)

3)

7.

- 1)
- 2)

8.

- 1)

가

- 2)

-
-

가

- 3)

- (A.C.G.I.H)

-
-

9.

- 1)

- 2)

- 3) pH

- 4)

- 5)

/

- 6)

/

255 ~ 265 °C

- 7)

- 8)

- 9)

- 10)

1.50 ~ 1.60

- 11)

- 12)

- 13)

(R.V.)

- 14)

10.

- 1) ,
- 2)
- *
- *
- 3)
- 4) .

11.

- 1)
- 2) /
- 3)
- 4) ()
- 5)

12.

- 1)
- 2)
- 3)
- 4) 가

13.

- 1)
- 2)

