

**1.**

CRELENE M508

가

1415-3

TEL : 054 931 1488

2006 1 3

2011 10 1

**2.**

|                | <u>CAS No.</u> | <u>(%)</u> |
|----------------|----------------|------------|
| Polypropylene  | 9003-07-0      |            |
| Mineral filler | -              | 30 ~ 50    |
| 가              | -              | < 1        |

**3.**

|      |        |     |      |     |
|------|--------|-----|------|-----|
| NFPA | (0-4 ) | =1, | = 1, | = 0 |
| 1)   | ,      | ,   | 가    | 가   |
| 2)   | ,      | ,   | , 가  |     |
| 3)   | .      | .   | .    |     |
| 4)   | .      | .   | .    |     |
| 5)   | .      | .   | .    |     |
| 6)   | .      | .   | .    |     |

---

**4.**

---

1)

2)

3)

4)

5)

---

**5.**

---

1) ( )

2)

3) /

4)

5)

가

6)

7)

가

---

**6.**

---

1)

가

2)

3)

**7.**

- 1)
- 2)

**8.**

- 1)
- 2)
- 
- 
- 
- 
- 3)
- 
- 
- 

(A.C.G.I.H)

가  
가

**9.**

- 1)
- 2)
- 3) pH
- 4)
- 5) /
- 6) /
- 7)
- 8)
- 9)
- 10)
- 11)
- 12)
- 13)
- 14)

(R.V.)

155 ~ 165°C

1.14 ~ 1.30

---

**10.**

---

1)

2)

\*

\*

3)

4)

---

**11.**

---

1)

2) /

3)

4) ( )

5)

---

**12.**

---

1)

2)

3)

4) 가

---

**13.**

---

1)

2)

---

**14.**

---

- 1)
- 2)
- 3)

---

**15.**

---

- 1)
- 2)

---

**16.**

---

- 1)                    :                    (MSDS)                    41                    96-12
  
- 2)
  
- 3)                    CAS                    가
  
- 4)                    :